Phone: (203) 272-3221 SDS Date: 04/17/2015



# SAFETY DATA SHEET



### Section I - PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Latexite<sup>®</sup> Power-Wash Driveway Cleaner

Manufacturer Name: Dalton Enterprises, Inc.

Item #: 82757

**UPC** #: 090932827578

**Address:** 131 Willow Street Cheshire, CT 06410

Package Size: 1 quart

**Telephone Number:** (203) 272-3221

**24 Hour Emergency Number:** (203) 272-3221

U.S. And Canada: (203) 272-3221 Trade Names and Synonyms: Soap

**Recommended Use and Restrictions:** Degreasing asphalt pavement

### Section II - HAZARDS IDENTIFICATION

### Classification

Skin Corrosion/Irritation	Category 2
Serious Eye Damage, Eye Irritation	Category 2

#### **Label Elements**

Signal Word: Warning Hazard Statements: Harmful if swallowed May cause skin irritation May cause eye irritation



# **GHS Pictogram:**

# **Precautionary Statements – Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Phone: (203) 272-3221 SDS Date: 04/17/2015

**Eyes:** Contact may cause irritation.

**Skin:** Prolonged or repeated contact may cause irritation. **Ingestion:** May cause nausea, vomiting and diarrhea.

**Inhalation:** May cause irritation

# **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local regulations.

# **Hazards not otherwise classified (HNOC)**

Not applicable

# **Unknown Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

### Other information

No information available

## **Interactions with Other Chemicals**

No information available.

# Section III - COMPOSITION

CAS#	<b>Component</b>	% Composition	
68439-46-3	Surfactant	10% - 20%	
10213-79-3	Sodium Metasilicate	1 - 5%	
497-19-8	Sodium Carbonate	1 - 5%	
64-02-8	Tetrasodium EDTA Derivative	1 - 5%	
7743-18-4	Water	60 - 70%	

### Section IV - FIRST-AID MEASURES

# **Emergency and First Aid Procedures**

**General Advice:** Present this safety data sheet to the physician in attendance. **Eye Contact:** Flush thoroughly with water. If irritation persists, see a physician.

Skin Contact: Clean exposed area thoroughly with soap and water. If irritation persists see a physician.

**Ingestion:** If swallowed do NOT induce vomiting. Seek medical attention if symptoms develop.

**Inhalation:** Move to fresh air if symptoms develop. If irritation persists see a physician.

**Most Important Symptoms:** Possibility of minor eye and skin irritation.

Indication of Immediate Medical Attention and Special Treatment Needed: Treat Symptomatically

Phone: (203) 272-3221 SDS Date: 04/17/2015

### Section V -FIRE-FIGHING MEASURES

Suitable Extinguishing Media: CO2, dry chemical, foam, sand.

**Unsuitable Extinguishing Media: N/A** 

Specific Hazards arising From the Chemical: Combustion may yield fumes, smoke, carbon monoxide and

carbon dioxide.

**Special Protective Equipment and Precautions for Firefighters:** Wear full protective clothing, including self-contained breathing apparatus (Positive Pressure/Pressure Demand), helmet, and face mask.

### Section VI - ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:** Avoid skin and eye contact, use proper protective equipment recommended in section 8.

Methods and Materials for Containment and Cleanup: Contain spill and dike with inert material (sand, sawdust, dirt, etc.). Place in closed container for proper disposal. Avoid runoff to waterways and sewers. Dispose of in accordance with local regulations.

### Section VII - HANDLING AND STORAGE

**Precautions for Safe Handling:** Store in a dry area, avoid eye contact and wash thoroughly after handling **Conditions for Safe Storage, Including Incompatibilities:** Keep container closed and upright to prevent leakage. Store in a cool, dry, ventilated area. Avoid freezing. Keep container upright to prevent leakage.

### Section VIII - EXPOSURE CONTROL/PERSONAL PROTECTION

# **Exposure Guidelines**

Component		ACGIH TWA (mg/m³)	OSHA PEL (TWA) (mg/m3)	
	Sodium Metasilicate	10 mg/m <sup>3</sup>	-	

**Engineering Controls:** Ensure adequate ventilation

#### **Individual Protection Measures**

**Eyes/Face:** Safety goggles

Skin: Gloves

**Respiratory:** None required if good ventilation is maintained.

**Hygienic controls:** Wash thoroughly with soap and water before eating or drinking. Wash

contaminated clothing.

# Section IX - PHYSICAL PROPERTIES

**Appearance:** Greenish blue color **Upper Explosive Limit:** N/A **Physical State:** Thin consistency liquid **Lower Explosive Limit:** N/A

Odor: Mild Vapor Pressure: Nearly equal to water

Page 3 of 6 POWER-WASH DRIVEWAY CLEANER

Phone: (203) 272-3221 SDS Date: 04/17/2015

Odor Threshold: N/A Vapor Density: Heavier than air

Melting Point: N/A Solubility In Water: Infinite
Boiling Point: 100°C / 212°F Partition Coefficient (n-octanol/water): N/A

Flash Point: N/A
Evaporation Rate: N/A
Decomposition Temperature: N/A
Decomposition Temperature: N/A

Flammability: N/A Max Voc: 0 g/L

### Section X - STABILITY AND REACTIVITY

Reactivity: None known under normal conditions

Stability: Stable

**Hazardous Reactions:** None known under normal conditions **Conditions to avoid:** Keep from freezing and extreme heat

**Incompatibility:** None

**Hazardous Decomposition Products:** None

### Section XI - TOXICOLOGICAL INFORMATION

#### **Health Effects**

Eye Contact: Minor irritation may result Skin Contact: Minor irritation may result Ingestion: Minor irritation may result Inhalation: Minor irritation may result

**Toxicological Effects** 

<u>Component</u>	CAS#	Acute oral toxicity LD50	Acute dermal toxicity LD50
Sodium Metasilicate	10213-79-3	1349 mg/kg (rat)	no data available
Sodium Carbonate	497-19-8	4090 mg/kg (rat)	no data available

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization: Product not known to cause sensitization

Mutagenic Effects: None known

Carcinogenicity: Not known to cause cancer

Crystalline silica in respirable form is carcinogenic to humans. The crystalline silica present is not respirable as this product is supplied. IARC has determined that there is inadequate evidence of carcinogenic effects of petroleum asphalt in humans, and limited evidence of carcinogenic effects to experimental animals.

Reproductive Toxicity: No toxicity known STOT – Single Exposure: None Known STOT – Repeated Exposure: None Known Chronic Toxicity: No Known Effect Target Organ Effects: Eyes, Skin.

Phone: (203) 272-3221 SDS Date: 04/17/2015

**Aspiration Hazard:** Based on available data, the classification criteria are not met.

# **Numerical Measures of Toxicity**

No data available

#### Section XII - ECOLOGICAL INFORMATION

Ecological Fate:No data availablePersistence/Degradability:No data availableBioaccumulation Potential:No data availableMobility in Soil:No data availableOther Adverse Effects:No data available

Analysis for ecological effects has not been conducted.

# Section XIII - DISPOSAL CONSIDERATIONS

**Waste disposal method:** Dispose of in accordance with local, state and federal regulations.

# Section XIV - TRANSPORATION INFORMATION

#### **DOT**

Proper Shipping Name: Not regulated

UN Number: N/A Hazard Class: N/A

### Section XV - REGULATORY INFORMATION

#### **International Inventories**

**TSCA:** Complies

### **US Federal Regulations**

**SARA 313:** This product contains no chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372)

SARA Hazard Category (311/312): Non Hazardous

**CWA** (**Clean Water Act**): This product contains no chemicals regulated by the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA:** This product contains no substances regulated by the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

### **US State Regulations**

Phone: (203) 272-3221 SDS Date: 04/17/2015

Component Name	CAS	State Right to Know		
		MA	NJ	PA
Surfactant	68439-46-3	No	No	No
Sodium Metasilicate	10213-79-3	No	No	No
Sodium Carbonate	497-19-8	No	No	No
Tetrasodium EDTA Derivative	64-02-8	No	No	No
Water	7743-18-4	No	No	No

# **International Regulations**

WHMIS: Non Hazardous

### Section XVI - OTHER INFORMATION

# **Other Precautions:**

Keep out of reach of children.

Always read label plus precautions and follow directions carefully.

Do not breathe vapor or spray mist.

Use only with adequate ventilation.

Do not take internally.

Avoid contact with eyes and skin.

Wash thoroughly after using.

Do not freeze.

Do not take internally, can be harmful or fatal if swallowed. Do not store above 120° F.

HMIS Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

**Revision date**: 04/17/2015 **Supersedes**: 02/25/2008

Prepared by: RL

### **Disclaimer/Statement of Liability:**

THE INFORMATION AND RECOMMENDATIONS PROVIDED HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT WARRANTY OF ANY KIND AND THIS CORPORATION DISCLAIMS ANY AND ALL LIABILITY OR LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON SAME.